


HYDRAULIC GOODS LIFT (TWO CHANNEL GUIDE)

CAPACITY : 500 & 1000 Kg. LIFT : UPTO 6 Mtr.



TECHNICAL SPECIFICATIONS



- Used for material shifting from shop floor to up stairs.
- These are self standing lifts & no civil work like duct is needed.
- Up & down movement with fully automatic Electro Hydraulic Power Pack.
- Adjustable overload protection valve gives safety against overloading.
- Power pack is on ground for easy maintenance work.
- Up & down movement are controlled by height limit switches in addition to mechanical stoppers.
- Occupies small space on shop floor.
- Two lifting chains & 2 stand by ropes are provided as standard features.

TWO CHANNEL GOODS LIFTS ARE MANUFACTURED AS PER CUSTOMER REQUIREMENTS & SPECIFICATIONS.


MODEL	GL - 2 0540	GL - 2 0560	GL - 2 1040	GL - 2 1060
Load Carrying Capacity (kg)	500	500	1000	1000
Max. Platform Height H1 (mm)	4000	6000	4000	6000
Min. Platform Height H2 (mm)	125	125	125	125
Platform Length L (mm)	1200	1200	1200	1200
Platform Width W (mm)	1200	1200	1200	1200
Overall Width W1 (mm)	1700	1700	1700	1700
Overall Height H3 (mm)	6000	8000	6000	8000
Cage Height H4 (mm)	1500	1500	1500	1500

HYDRAULIC GOODS LIFTS (FOUR CHANNEL GUIDE)

CAPACITY : 500 to 3000 Kg. LIFT : UPTO 10 Mtr.



TECHNICAL SPECIFICATIONS



- Used to shift shop floor goods to up stairs.
- Up & Down movement with fully automatic electric power pack.
- Fully interlocked with height limit switches, door limit switches & hooter.
- Adjustable overload protection valve gives safety against overloading.
- These lifts are self standing lifts & no civil work like duct or heavy top slab is needed.
- Power pack is on ground for easy maintenance work.



GOODS LIFTS ARE DESIGNED AS PER CUSTOMER'S REQUIREMENT & SPECIFICATIONS.

MODEL	GL - 4 1040	GL - 4 1060	GL - 4 2040	GL - 4 2060
Load Carrying Capacity (kg)	1000	1000	2000	2000
Max. Platform Height H1 (mm)	4000	6000	4000	6000
Min. Platform Height H2 (mm)	125	125	125	125
Platform Length L (mm)	2100	2400	2100	2400
Platform Width W (mm)	1500	1800	1500	1800
Overall Length L1 (mm)	2900	3200	2900	3200
Overall Width W1 (mm)	2100	2400	2100	2400
Overall Height H3 (mm)	6500	8500	6500	8500
Cage Height H4 (mm)	1500	1800	1500	1800

